

This PDF is generated from: <https://afasystem.info.pl/Sat-21-Apr-2018-9686.html>

Title: Battery Cell 21700-50e and 50c

Generated on: 2026-02-24 14:06:36

Copyright (C) 2026 AFA CONTAINERS. All rights reserved.

For the latest updates and more information, visit our website: <https://afasystem.info.pl>

It was developed as an improvement over the 18650 battery, offering higher capacity, better energy density, and improved efficiency, making it ideal for high-power applications such as ...

This data sheet provides all the information from Samsung SDI about the INR21700-50E lithium-ion battery, as detailed in the table of contents. Reading it completely will address most ...

Check out the 21700 Batteries from Samsung SDI Lithium-ion 3.7V rechargeable 21700 (21mm x 70mm) battery. Models: 30T, 40T, and 50E are available.

ICR, INR, NMC, LFP, primary, rechargeable, lithium ion, lithium ion phosphate, lithium manganese dioxide, lithium thionyl chloride, CR, ER, SPC, PLM module, battery, pack, rack, ...

Dive into the technical specifications of the battery and explore detailed data sheets and models. Unlock valuable insights for your projects and make informed decisions with this powerful battery.

With an impressive 5000mAh capacity and a 9.8A continuous discharge ...

What Are the Key Specifications of the Samsung 21700 50E Battery? The Samsung 50E features a nominal voltage of 3.6V, 5000mAh capacity, and dimensions of ...

With an impressive 5000mAh capacity and a 9.8A continuous discharge rating, this cell is the ideal choice for e-bikes, battery packs, and power tools. Its high energy density ensures longer ...

Check out the 21700 Batteries from Samsung SDI Lithium-ion 3.7V rechargeable 21700 (21mm x 70mm) battery. Models: 30T, 40T, and 50E ...

Get everything you need for the lithium-ion battery cell DMEGC INR21700-50E (C): Extensive measurement data in the total operation regime, a high-precision, physical battery model with ...

This data sheet provides all the information from Samsung SDI about the INR21700-50E lithium-ion battery, as detailed in the table of contents. ...

Yes, this battery cell is optimized to support a wide operating temperature range of -20°C to 60°C . For extremely cold environments as low as -40°C , we can provide customized heating system ...

21700 50E HOT EVE 21700 50E cylindrical NCM cell 3.65V 5000mAh Full Capacity
E-Motor/E-Bike/E-Scooter/Portable ESS

ICR, INR, NMC, LFP, primary, rechargeable, lithium ion, lithium ion phosphate, lithium manganese dioxide, lithium thionyl chloride, CR, ER, ...

Web: <https://afasystem.info.pl>

